


50 μ H LISN for Tektronix EMC pre-compliance

EMI-LISN50UH (TEKBOX TBLC08 offered by Tektronix)



The EMI-LISN50UH is the TEKBOX TBLC08 50 μ H Line Impedance Stabilization Network (LISN) for the measurement of line-conducted interference within the range of 9 kHz to 30 MHz, according to the CISPR16 standard. The device is designed for testing single phase, AC-powered equipment with supply voltages up to maximum 260 V. Conducted noise can be measured on the phase and on the neutral conductor. The TBLC08 is equipped with a switchable limiter/attenuator and an artificial hand connection. Three models are available with country-specific DUT connectors.

Key features

- Frequency range: 9 kHz to 30 MHz
- Impedance: 50 Ω || (50 μ H + 5 Ω)

- Artificial hand: 220 pF + 511 Ω
- Switchable PE: 50 Ω || 50 μ H
- Limiter / attenuator: 150 kHz to 30 MHz; 10 dB
- Air core inductors
- Line voltage: max. 240V / 50 – 60 Hz, CAT II
- Max. current: 8A @ 23°C
- DUT socket: country specific
- Measurement connector: 50 Ω BNC
- Power connector: IEC 60320 C13
- Operating Temperature Range: +5°C ... + 40°C; 5% to 80% RH
- Safety Class I, IEC 1010-01

Applications

EMC pre-compliance testing of conducted noise

Specifications

50 μ H LISN

Frequency range	9 kHz –30 MHz
Impedance	50 Ω (50 μ H + 5 Ω)
Artificial hand	220 pF + 511 Ω
Switchable PE	50 Ω 50 μ H
Limiters / attenuator	150 kHz to 30 MHz; 10 dB
Line voltage	Maximum 240 V / 50-60 Hz, CAT II20 pF + 511 Ω
Maximum current	8 A at 23°C; Fuses: 8A, slow
DUT socket	Country specific (EU, US, GB options available)
Measurement connector	50 Ω BNC
Power connector	IEC 60320 C13
Operating temperature range	+5°C ... + 40°C; 5% to 80% RH
Safety	Class I, IEC 1010-01

Ordering information

EMI-LISN50UH LISN

This product is not available in Canada.

Item	Description
EMI-LISN50UH-EU	50 μ H DC Line Impedance Stabilization Network (LISN) for the EU (except GB)
EMI-LISN50UH-GB	50 μ H DC Line Impedance Stabilization Network (LISN) for GB
EMI-LISN50UH-US	50 μ H DC Line Impedance Stabilization Network (LISN) for the US

Service

All service provided by TEKBOX Digital Solutions. Contact <https://www.tekbox.net/> for product information and service.

ASEAN / Australasia (65) 6356 3900
Belgium 00800 2255 4835*
Central East Europe and the Baltics +41 52 675 3777
Finland +41 52 675 3777
Hong Kong 400 820 5835
Japan 81 (3) 6714 3086
Middle East, Asia, and North Africa +41 52 675 3777
People's Republic of China 400 820 5835
Republic of Korea +822 6917 5084, 822 6917 5080
Spain 00800 2255 4835*
Taiwan 886 (2) 2656 6688

Austria 00800 2255 4835*
Brazil +55 (11) 3759 7627
Central Europe & Greece +41 52 675 3777
France 00800 2255 4835*
India 000 800 650 1835
Luxembourg +41 52 675 3777
The Netherlands 00800 2255 4835*
Poland +41 52 675 3777
Russia & CIS +7 (495) 6647564
Sweden 00800 2255 4835*
United Kingdom & Ireland 00800 2255 4835*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777
Canada 1 800 833 9200
Denmark +45 80 88 1401
Germany 00800 2255 4835*
Italy 00800 2255 4835*
Mexico, Central/South America & Caribbean 52 (55) 56 04 50 90
Norway 800 16098
Portugal 80 08 12370
South Africa +41 52 675 3777
Switzerland 00800 2255 4835*
USA 1 800 833 9200

* European toll-free number. If not accessible, call: +41 52 675 3777

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit www.tek.com.

Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.



30 Jan 2018 37W-61341-0

